Technical Service Consultants Ltd

Microbiology House, Fir Street, Heywood, Lancashire OL10 1NW, UK T: +44 (0)1706 620600 F: +44 (0)1706 620445

E: sales@tscswabs.co.uk W: www.tscswabs.co.uk

Product Specification Sheet

TS/19-M
Low ATP Swab with a polystyrene shaft and Dacron tip, in polypropylene outer tube

Product Code	TS/19-M
Description	Low ATP Swab with a polystyrene shaft and Dacron tip, in polypropylene outer tube
Intended Use	Culture swab; general Laboratory use - also suitable for ATP measuring applications
Components	White cap Polypropylene Tube White cap Polyester tip/polystyrene shaft swab Non-toxic glue Label & film
Contents	Not applicable.
Method of Sterilisation	Sterilised by gamma irradiation at dosage of 25-46kGy
Shelf Life	24 months from date of manufacture
Storage Conditions	4-25 ℃. Store in dry and ventilated area; protect from light, heat and moisture in tightly closed original container
Precautions and Limitations	This swab will not fit in certain instruments. Please check with instrument manufacturer for compatibility
Pack Size	500 in a box
Other	Quality control testing details on final product:i) Validation of irradiation sterility.

This specification is intended for guidance only.

You should always refer to a professional with experience in your intended application if in any doubt.

You should always refer to a professional with experience in your intended application if in any doubt

Issue # : 5 Date : 06.06.2016 ProductSpec_TS19-M